



BATTERY MANAGEMENT SYSTEM WITH THERMAL MONITORING SYSTEM

C. Kavikumar*, S. Sanjay, R. Sanjai**, S. Subash**
& S. Pravin Kanth****

* Assistant Professor, Department of Electrical and Electronics Engineering, Dhanalakshmi Srinivasan Engineering College (Autonomous), Perambalur, Tamil Nadu, India

** UG Student, Department of Electrical and Electronics Engineering, Dhanalakshmi Srinivasan Engineering College (Autonomous), Perambalur, Tamil Nadu, India

Cite This Article: C. Kavikumar, S. Sanjay, R. Sanjai, S. Subash & S. Pravin Kanth, "Battery Management System With Thermal Monitoring System", International Journal of Scientific Research and Modern Education, Volume 11, Issue 1, January - June, Page Number 86-89, 2026.

Copy Right: © Crystal Pen Publication, 2026 (All Rights Reserved). This is an Open Access Article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Type of Review: Peer Reviewed as per |C|O|P|E| Guidance.

Disclaimer: The scholarly papers reviewed and published by Crystal Pen Publication, India, reflect the views and opinions of their respective authors and do not necessarily represent the views or opinions of Crystal Pen Publication. The publisher disclaims any responsibility for any harm, loss, or damage resulting from the use of the published content by any party.

DOI: <https://doi.org/10.5281/zenodo.19861406>

Abstract:

The proposed Battery Management System (BMS) introduces a sophisticated and integrated platform to ensure safe, efficient and long-life operation of modern battery packs across applications such as renewable energy storage, electric vehicles and industrial backup systems. At the heart of the system lies continuous monitoring of key electrical and environmental parameters voltage, current, temperature, and surrounding ambient conditions via dedicated sensors and analog front-end electronics. Real-time processing by a microcontroller enables detection of hazardous events including over-current, over-temperature and potential short-circuit conditions, thereby initiating protective responses such as load isolation or thermal mitigation. A visual interface on an LCD display presents system status, fault indicators and diagnostic messages, affording users immediate awareness of battery health. Simultaneously, wireless connectivity to an IoT cloud platform enables remote monitoring, data logging and trend-analysis of battery state-of-charge (SoC), state-of-health (SoH) and emerging degradation patterns, supporting predictive maintenance and life-cycle management. Thermal management strategies heating/cooling control, passive heat-sink design and intelligent fan activation alongside short-circuit protection mechanisms enhance battery reliability and lifespan. Modular architecture and scalable design facilitate adaptation to varied battery chemistries and pack sizes while maintaining cost-effectiveness. With its robust feature set, the system supports cell-balancing, fault detection, charge/discharge management and communication functions typical of advanced BMS frameworks. By combining embedded sensing, protective control, human-machine interface and cloud-connectivity, the proposed BMS addresses essential safety, reliability and performance challenges in energy-storage systems. The result is a comprehensive solution that enhances operational efficiency, minimizes risk of failure, extends battery life and delivers actionable intelligence to operators and stakeholders.

Introduction:

The rapid expansion of energy-dependent technologies across transportation, industry, and renewable power systems has intensified the need for advanced battery management solutions capable of ensuring both safety and long-term reliability. As lithium-ion and other high-capacity chemistries dominate modern storage applications, the complexity of maintaining these batteries under varying operational and environmental conditions has increased significantly. Batteries are inherently sensitive electrochemical devices whose performance and safety depend on precise operating limits related to voltage, current, and temperature.

Without effective supervision, these parameters can drift into unsafe ranges, potentially leading to severe failures such as thermal runaway, internal degradation, and catastrophic system damage. Consequently, a sophisticated Battery Management System (BMS) with an integrated thermal monitoring framework has become essential for delivering stable, secure, and optimized energy storage performance.

Proposed System:

The proposed Battery Management System (BMS) is an intelligent, IoT-enabled solution designed to overcome the limitations of traditional systems by integrating advanced sensing, data processing, and communication technologies. Its primary goal is to enhance battery safety, performance, and lifespan while providing remote accessibility and data-driven decision-making. The system continuously monitors critical parameters such as voltage, current, temperature, and environmental conditions using high-precision sensors. These sensors send real-time data to a microcontroller, which acts as the central processing unit of the system. The microcontroller analyzes incoming signals, detects abnormalities such as overcharging, deep discharging, short circuits, or overheating, and triggers appropriate safety measures. This automated detection and control process significantly minimizes the risk of battery failure and ensures optimal operating conditions at all times.

An essential feature of the proposed system is its integration with an IoT-based cloud platform. The collected sensor data is transmitted wirelessly to the cloud through Wi-Fi or GSM modules, enabling remote monitoring via web or mobile applications. Users can view live parameters, battery status, and performance analytics in real time, allowing for proactive maintenance and decision-making. In industrial or electric vehicle applications, this remote accessibility reduces downtime and improves operational efficiency. Additionally, the system stores historical data in the cloud for predictive analysis, allowing algorithms to identify performance trends and forecast battery health degradation. This predictive maintenance capability ensures timely interventions before faults occur, improving both reliability and longevity.

Thermal management is another crucial aspect of the proposed BMS. The system employs dynamic temperature control techniques to prevent overheating during charging and discharging cycles. If the temperature exceeds a safe threshold, the controller activates cooling mechanisms such as fans or adjusts the charging rate to stabilize the temperature. This automatic thermal regulation not only enhances battery safety but also improves energy efficiency by maintaining optimal operating conditions. The inclusion of short-circuit and overcurrent protection circuits further strengthens system reliability, safeguarding both the battery and connected load from potential electrical hazards.


The proposed design also incorporates a user-friendly LCD interface to display real-time readings of voltage, current, temperature, and overall battery health. This feature provides clear visual feedback to the operator and assists in system diagnostics. For advanced applications, data visualization dashboards on the IoT platform offer graphical representations of key metrics, simplifying performance analysis and fault detection. The modular structure of the system makes it highly scalable, enabling its use across diverse domains such as renewable energy storage systems, electric vehicles, robotics, and industrial power backup setups.

Another significant improvement in the proposed system is its cost-effectiveness and flexibility. The use of affordable microcontrollers and open-source IoT platforms reduces implementation costs without compromising functionality. Moreover, the system supports multiple battery chemistries like Li-ion, NiMH, and lead-acid, making it adaptable to different applications. The enhanced algorithmic control for charge balancing ensures that all battery cells operate uniformly, preventing over-stressing of individual cells and extending the overall pack lifespan.

The proposed Battery Management System represents a comprehensive advancement over traditional setups by combining intelligent sensing, real-time data processing, IoT connectivity, and predictive analytics. It not only ensures operational safety and energy efficiency but also empowers users with remote control, data-driven insights, and maintenance automation. With its scalable, cost-efficient, and reliable architecture, the proposed BMS provides a futuristic solution that aligns with the growing demand for sustainable and smart energy storage technologies across multiple industries.

Results:


The implemented Battery Management System demonstrates effective performance in monitoring, controlling, and protecting battery packs under various operating conditions. During testing, the system successfully recorded real-time variations in voltage, current, temperature, and ambient parameters with high stability and minimal delay. The sensor integration with the microcontroller ensured accurate data acquisition, enabling reliable decision-making for safety and performance optimization. The response time of the system to changing electrical and thermal conditions remained within acceptable limits, confirming the efficiency of the embedded control architecture.



Fault detection tests were conducted by simulating over-voltage, over-current, over-temperature, and short-circuit conditions. In all scenarios, the system promptly identified abnormal states and triggered protective mechanisms such as load disconnection and alarm notifications. This ensured that potential damage to the battery cells was effectively prevented. The protection logic implemented in the controller proved to be robust and consistent across repeated test cycles, highlighting the reliability of the system under stress conditions.

The IoT connectivity module enabled seamless transmission of battery data to a cloud platform, allowing remote monitoring and analysis. Parameters such as State of Charge (SoC) and State of Health (SoH) were continuously updated and visualized, providing valuable insights into battery performance trends. Data logging functionality supported historical analysis,

which is essential for predictive maintenance and long-term energy management strategies. The wireless communication remained stable with negligible data loss during transmission.



Thermal management performance was evaluated by observing temperature variations during charge and discharge cycles. The system effectively activated cooling mechanisms when temperature thresholds were exceeded, thereby maintaining safe operating limits. This contributed to improved battery stability and reduced thermal stress on individual cells. The integration of intelligent control ensured optimal thermal regulation without excessive energy consumption.

Conclusion:

The proposed Battery Management System (BMS) demonstrates a significant advancement in the field of energy storage monitoring and control through the integration of intelligent sensing, IoT connectivity, and predictive maintenance. Unlike conventional systems that rely on manual supervision and limited protection mechanisms, the proposed model provides an automated, accurate, and reliable platform for managing critical battery parameters such as voltage, current, temperature, and state of charge. By leveraging real-time data acquisition and microcontroller-based processing, the system ensures optimal performance and safety while minimizing the risk of overcharging, deep discharging, or short-circuit failures. This intelligent automation not only enhances battery lifespan but also contributes to overall energy efficiency and operational stability.

One of the most remarkable aspects of this system is its IoT-enabled remote monitoring capability, which allows users to track and analyze battery performance from any location. The integration of cloud connectivity ensures that all data collected from sensors are securely transmitted and stored for visualization, analysis, and decision-making. This remote accessibility plays a vital role in industrial, renewable energy, and electric vehicle applications, where continuous monitoring is essential for operational safety. The inclusion of data analytics and fault prediction through cloud storage further empowers users to anticipate potential issues before they escalate, thereby reducing maintenance costs and system downtime.

Another major contribution of the proposed BMS lies in its advanced thermal management mechanism. The system actively monitors temperature fluctuations and employs automatic cooling strategies to prevent overheating during charging and discharging cycles. This feature ensures that the battery operates within safe temperature limits, significantly improving reliability and performance. Along with short-circuit and overcurrent protection, these safety mechanisms create a robust framework capable of handling diverse operating conditions and protecting both the battery and the connected load from potential hazards.

From a design perspective, the system maintains simplicity, cost-effectiveness, and scalability. It utilizes affordable microcontrollers and open-source IoT platforms, making it feasible for both academic and industrial implementations. Its modular structure allows easy customization and integration with various battery chemistries such as lithium-ion, nickel-metal hydride, and lead-acid. This adaptability makes the proposed BMS suitable for a wide range of applications, including renewable energy storage systems, electric vehicles, and industrial power backups. The inclusion of an LCD interface provides a direct and user-friendly display of essential parameters, enhancing usability for operators and technicians.

In conclusion, the proposed Battery Management System embodies a holistic and forward-looking solution for modern energy storage challenges. Its intelligent features, coupled with IoT-based remote monitoring and predictive analytics, create a reliable and efficient management framework that bridges the gap between safety, performance, and innovation. By addressing the shortcomings of traditional systems such as limited data accuracy, manual monitoring, and poor fault handling the proposed BMS introduces a more sustainable, scalable, and technologically advanced alternative.

References:

1. M. Sabarimuthu, J. Radha, S. Gomathy, R. Eswaran, A. U. Kaushik and S. Koushika, "Integrated Battery Management and Thermal Control System for Lithium-Ion Battery Pack in Electric Vehicle," 2024 2nd International Conference on Self Sustainable Artificial Intelligence Systems (ICSSAS), Erode, India, 2024, pp. 1685-1690, doi: 10.1109/ICSSAS64001.2024.10760705.
2. M. Mynavathi, A. M. A, H. J, N. C. S and T. D, "Predictive thermal management systems for lithium ion batteries using linear regression for enhanced efficiency and longevity," 2024 4th International Conference on Emerging Frontiers in Electrical and Electronic Technologies (ICEFEET), Patna, India, 2024, pp. 1-4, doi: 10.1109/ICEFEET64463.2024.10866105
3. R. R. Kumar, C. Bharatiraja, K. Udhayakumar, S. Devakirubakaran, K. S. Sekar and L. Mihet-Popa, "Advances in Batteries, Battery Modeling, Battery Management System, Battery Thermal Management, SOC, SOH, and Charge / Discharge Characteristics in EV Applications," in IEEE Access, vol. 11, pp. 105761-105809, 2023, doi: 10.1109/ACCESS.2023.3318121
4. P. Revathi, K. Namitha, P. R. Prabhuraam and V. Praveen Kumar, "Novel Real-Time Monitoring and Diagnostic Battery Management System Integrated with Thermoelectric Technology," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-5, doi: 10.1109/ICCCNT61001.2024.10725411.
5. Y. S, V. G, K. D, V. Janakiraman, S. M. Basha and S. Gomathi, "Design of Battery Operation System for Electric Vehicle Applications," 2025 9th International Conference on Inventive Systems and Control (ICISC), Coimbatore, India, 2025, pp. 1856-1860, doi: 10.1109/ICISC65841.2025.11189020.
6. V.S.Prakash, A. Muthu, B. Anandan, V. Velmurugan, T. A. S. Raja and P. V, "Optimizing Battery Management Systems For Electric Vehicles: Current Trends And Future Directions," 2024 5th IEEE Global Conference for Advancement in Technology (GCAT), Bangalore, India, 2024, pp. 1-6, doi: 10.1109/GCAT62922.2024.10924013.
7. Dey, S. Mondal, B. Chakraborty, S. Dalai and K. Bhattacharya, "Online Internal Resistance Computation-Based Early Sensing of Thermal Runaway for Smart Fault Handling System (FHS) of Li-Ion Batteries," in IEEE Embedded Systems Letters, vol. 17, no. 4, pp. 284-287, Aug. 2025, doi: 10.1109/LES.2025.3535836
8. K. Cui, D. Shi, Z. Liu, D. Yang, H. Li and Q. Du, "Behavioral-Based Monitoring of Networked Systems With Application to Spacecraft Li-Ion Battery Health Management," in IEEE Transactions on Industrial Electronics, vol. 71, no. 7, pp. 7954-7962, July 2024, doi: 10.1109/TIE.2023.3301552.
9. G. Ramkumar, I. Chandra and N. V. Krishnamoorthy, "Experimental Evaluation of Improved Battery Management System Design for Electric Vehicles to Resist Performance over Long Duration," 2024 Ninth International Conference on Science Technology Engineering and Mathematics (ICONSTEM), Chennai, India, 2024, pp. 1-8, doi: 10.1109/ICONSTEM60960.2024.10568836.
10. Saidulu, M. M, K. Monda, S. Purushotham, K. S. Kumar and J. Lydia, "A Smart Battery Management System (BMS) Development for Electric Vehicles to Improve Energy and Power Management Structure," 2024 International Conference on Innovative Computing, Intelligent Communication and Smart Electrical Systems (ICES), Chennai, India, 2024, pp. 1-6, doi: 10.1109/ICES63760.2024.10910633.